Lifting Solutions Group
Axel Johnson International

C-lok CLD

Product information



For use with master links.

... *Read more*

Material: Quenched and tempered alloy steel.
Marking: According to standard, code and grade.
Finish: Painted.
Standard: EN 1677
Warning: Not to be heat treated


Safety factor: 4:1
Grade: 10

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

C-lok CLD

Blueprint



Technical data

Part code	Code	WLL ton	B mm	D mm	E mm	L mm	Weight kg
402200560280	CLD-10-10	5.6	15	37	40	74	1.2
402200950280	CLD-13-10	9.5	18	46	52	94	3.1

© November 2026 - All Rights Reserved