

## Block

### Product information



Blocks with low weight, and easy to use.

**Material:** High quality steel.

**Marking:** CE-marked, Type, WLL.

**Finish:** Zink-plated and chromated.

Part Code	WLL ton	Type	Width mm	Fitting	Sheave Dia/Width mm	Max wire diameter mm	Delivery time
424100100126	1	S-14S 1)	293	Swivel	120/20	12	7
424100120120	1.2	N-10	319	Swivel	120/20	12	3
424100120125	1.2	N-10K	361	Hook	120/28	12	3
424100200120	2	N-23S *)	550	Swivel	180/27	18	7
424100300120	3	N-11	455	Swivel	180/27	18	3

### Technical data

**2-Sheaves**

Art No	Code	Article Name	Headfitting type	Width mm	Sheave Dia/Width mm	Max wire diameter mm	WLL ton	Weight kg
16.15TB162	TB162	D-16 *)	Flat plate	325	120/20	12	3	4,9
16.15TB163	TB163	D-16S *) 1)	Swivel	366	120/20	12	3	4,9
16.15TB161	TB164	D-16K *)	Hook	370	120/20	12	2	5
	TB233	ND-18 *)	Flat plate	547	180/27	18	10	16,5

\*) w/becket pin, 1) w/nuts

**3-Sheaves**

Art No	Code	Article name	Headfitting type	Width mm	Sheave Dia/Width	Max wire diamenter mm	WLL ton	Weight kg
16.15TB172	TB172	TR-17 *)	Flat plate	325	120/20	12	6	7,3
	TB192	NT-19 *)	Flat plate	550	180/27	18	16,5	24

\*) w/becket pin

**4-Sheaves**

Art No	Code	Article Name	Headfitting type	Width mm	Sheave Dia/Width mm	Max wire diameter mm	WLL ton	Weight kg
	TB202	NF-20 *)	Flat plate	335	120/20	12	8	10
	TB212	NF-21 *)	Flat plate	580	180/27	18	22,5	34

\*) w/becket pin

**5-Sheaves**

Art No	Code	Article name	Headfitting type	Width mm	Sheave Dia/Width mm	Max wire diameter mm	WLL ton	Weight kg
	TB202	NF-20 *)	Flat plate	335	120/20	12	8	10

1 B30Z

1NF-30")

Flat plate

825

282/30

10

40

80

\*) w/becket pin