
Lifting Solutions Group
Axel Johnson International

Casar Parafit

Product information



Offshore crane



Crawler crane



Advantages and features:

- Extremely high breaking strength
- Very stabile wire rope construction with good fatigue properties
- A plastic layer between inner and outer strands prevents inner wear and protects the core from corrosion.
- Very high resistance against flattening and wear.
- Especially suitable for multiple layer spooling.

ISO 4309 Rope Category No: 8-50mm **RCN.09**,

... *Read more*

Rope construction: 8 strand hammered rope in parallel lay construction made out of compacted outer strands. Has a plastic layer between the steel core and the outer strands, giving the rope a high structural s
Marking: According to standard
Standard: EN 12385-4

Fill factor: 0.74
RCN: 09

© November 2026 - All Rights Reserved

Lifting Solutions Group
Axel Johnson International

Casar Parafit

Blueprint



Technical data

Part code	Rope diameter mm	Tensile strength N/mm²	Finish	Rope lay	Min. breaking force kN	Steel area mm²	Lubrication	Weight kg/100m
103103004270129	30	1,960	Galvanized	sZ	902	529	SupplierStandard	410
103103204270129	32	1,960	Galvanized	sZ	1,019	598	SupplierStandard	464
103103404270129	34	1,960	Galvanized	sZ	1,157	679	SupplierStandard	523

© November 2026 - All Rights Reserved