



Megasteel Hawser 8-Strand Braided

Product information

General: A quality hawser made of a mix of polymer with a special strand to accomplish low weight and a high breaking force.

Design: 8-strand. Braided.

Specific gravity: 0,94 (floats).

Melting point: 165°C.

Elongation: At 25% of MBL = 2,8%. At 50% of MBL = 5,5%.

Material: Polymer. It has a 40% higher breaking force compared to regular polypropylen(PP)/monofilament. It has a excellent abrasion resistance, spliced eye in each end and is resistant to acid and alkalies.

Finish: Blue.

| Part Code | Diameter mm | Min. Breaking force kN. | MBL ton | Weight | Delivery time |
|-----------------|----------------|----------------------------|------------|--------|---------------|
| 300802400000050 | 24 | 103 | 10.5 | 28.5 | 3 |
| 300802800000050 | 28 | 142.2 | 14.5 | 39 | 3 |
| 300803600000050 | 36 | 223.9 | 23.3 | 64.5 | 3 |
| 300804000000050 | 40 | 278.6 | 28.4 | 87 | 3 |
| 300804800000050 | 48 | 390.4 | 39.8 | 126 | 3 |
| 300805600000050 | 56 | 518 | 52.8 | 171.6 | 3 |
| 300806400000050 | 64 | 669 | 68.2 | 224 | 3 |
| 300807200000050 | 72 | 841.7 | 85.8 | 283.8 | 3 |
| 300808800000050 | 88 | 1,251.8 | 127.6 | 424.6 | 7 |

Technical data

Coil 220 m

| Art.no | Diam. | Minimum Breaking Load | | | Weight |
|----------------|-------|-----------------------|-------|-------|---------|
| | mm | kN | tons | kg/m | kg/220m |
| 12.08MES400C22 | 40 | 278,6 | 28,4 | 0,791 | 174,0 |
| 12.08MES480C22 | 48 | 390,4 | 39,8 | 1,145 | 251,9 |
| 12.08MES560C22 | 56 | 518,0 | 52,8 | 1,560 | 343,2 |
| 12.08MES640C22 | 64 | 669,0 | 68,2 | 2,036 | 447,9 |
| 12.08MES720C22 | 72 | 841,7 | 85,8 | 2,580 | 567,6 |
| 12.08MES800C22 | 80 | 1035,9 | 105,6 | 3,190 | 701,8 |
| 12.08MES960C22 | 96 | 1467,6 | 149,6 | 4,590 | 1009,8 |